




zenith prism




The ZENITH 'PRISM' series is designed with the simple, functional and practical design requirements. The adopted technical design, enhances the lighting performance, safety and ease of installation. The diffuser (the options of opal or prismatic type) affords value and technical quality with easy maintenance and lamp replacement. Its pleasant appearance also reduce direct glare and yet provide an excellent light distribution for visual comfort. A hinged frame system allows for easy maintenance and lamp replacement.

APPLICATION

Ideal for general interior lighting such as school, retail area, shop, office, commercial area, etc, in particular in an environment where sufficient illumination and safety with a low glare is required.

TECHNICAL DATA

- Body : Made of heavy gauge sheet steel.
- Diffuser : In either opal or prismatic type.
- Paintwork : Fully coated with a high gloss white epoxy powder, giving resilient finish.
- Lamp source : T8 18/20W and 36/40W.
- Electrical data : 220V~240V 50/60 Hz.
- Wire : Heat resistant 105°C.
- Ballast : Vacuum-impregnated with polyester resin.
- Condenser : Metallized polypropylene film.
- Starter : Series circuit (4-22W) and single circuit (4-65W).
- Lamp and starter holder : Mould from polycarbonate material.
- Dimensions : various-according to lamp configurations.
- Optional Components
 - High frequency electronic ballast
 - Emergency power pack
 - 2A fuse socket connector
 - Radio interference suppressor
 - Imperial size and surface mount version available upon request



Model No.	No. of lamp	L(mm)	L1(mm)	W(mm)	H(mm)
ZNCP0039	1x18W	612	595	302	85
ZNCP0040	1x36W	1222	1195	302	85
ZNCP0041	2x18W	612	595	605	85
ZNCP0042	2x36W	1222	1195	605	85
ZNCP0043	3x18W	612	595	605	85
ZNCP0044	3x36W	1222	1195	605	85
ZNCP0045	4x18W	612	595	605	85
ZNCP0046	4x36W	1222	1195	605	85
ZNCP0064	2x36W	1222	1195	302	85

ordering information