




mega C



ADVANTAGES

- High performance & easy maintenance
- Fully aluminium and glass
- Low wind surface. Choice of colour

APPLICATION


- Sport field, indoor area, large area, airport apron
- Monumental, building, recreation, stadium with broadcasting

FEATURES

- Die cast aluminium housing with cooling fins
- Finished with epoxy powder paint – Standard colour – Black
- Resistant to corrosive environment
- High reflectance, anodised and polished reflector attach in housing
- Tempered flat glass, resistant to thermal, shock and impact. Installed on the body with stainless steel external screws and weather proof silicon rubber sealing gaskets
- The rear cover with built in ignitor and can be opened for lamp replacement and maintenance without modifying the pointing adjustment.
- Internal glare / spill light control arc cut off skirt – optional
- Provide narrow and wide beam photometric distribution
- Ceramic lamp holder and silver plated contact
- Hot instant restart system available upon request

CHARACTERISTICS

- Optical assembly : IP 65
- Ballast Compartment : IP 65
- Electrical Insulation : Class I
- Voltage : 220V/240V
- Wattage : 1000 ~ 2000W
- Lamp type : M/H (double ended lamp)
- Approx. Net weight : 12 ~ 14kg



Model No.	Description	Voltage	Frequency	Lamp
GPCP0767	MEGA C 1000W M/H C/W Gear & Tube	220V-240V	50-60Hz	CAVO
GPCP0768	MEGA C 2000W M/H C/W Gear & Tube	220V-240V	50-60Hz	CAVO

ordering information